

BRIDGE MFG. & EQUIP CO.

Phone: 8778346606
4816 State Rte 101
Woodburn, IN
Email: jason@bridgetrailers.com; randy@bridgetrailers.com; brett@bridgetrailers.com



2023 Diamond C Trailers LPX210L20X82 (82" X 20') 20K Equipment Trailer

Stock#: P1270470	Year: 2023	Manufacturer: Diamond C Trailers
Width: 82" or 6'10"	Length: 240" or 20'0"	Height: 24" or 2'0"
Weight: 4440	GVWR: 20000	Payload: 15560
Color: BLACK	#Axles: 2	Axle Capacity: 20000.00
URL: https://bridgetrailers.com/2023-diamond-c-trailers-lpx210l20x82-82-x-20-20k-equipment-trailer-iX0o.html		

Price	\$15,899.00
-------	-------------

Description

OPTIONS ON THIS TRAILER:

- 10K TORSION STRAIGHT AXLES
- 20' X 82"
- 3/16" HD FENDERS
- PINTLE RING
- FORK HOLDER
- RUB RAIL W/ STAKE POCKET
- 5/8" D-RINGS (8 TOTAL)

OVERVIEW

Engineered to take a commercial user beating, our flatbed equipment trailers, tilt trailers, deck over construction trailers, and skid steer trailers are ideal for your heavy duty jobs that demand superior strength and durability. Featuring GVWR upgrades up to 24,000 lb, ENGINEERED BEAM TECHNOLOGY (on select models), GOOSENECK PACKAGE upgrades, and much more.

STANDARD FEATURES

Axles - 2 - 10,000 lb Oil Bath, Torsion	standard
Brakes - Electric Drum	standard
Suspension - Torsion Axles	standard
Pull Type - Bumper Pull	standard
Frame - 8" x 15 lb I-Beam Frame	standard
Ramps - Extra Wide HD Flip-Knee, 24" x 60", Spring-Assisted	standard
Dove - 24" Diamond Plate Dove with Cleats	standard
Paint Type - DM Difference Maker Coating System	standard
Paint Color - Black	standard
Floor - 2" Treated Lumber	standard
Cross-Members - 3" I-Beam on 16" Centers	standard
Coupler - 2-5/16" - 21,000 lb Demco EZ-Latch, Flat-Mount	standard
Jack - 12,000 lb Drop-Leg Jack	standard
Winch - No Winch	standard
Storage - HD V-Tongue Lid	standard
Fenders - 14 ga Teardrop, Diamond Plate, Bolt-on	standard
Lights - All LED Lights	standard
Stake Pockets - 6 Stake Pockets	standard
Tie Downs - 4 - 5/8" D-Rings	standard
Wiring - Sealed Wiring Harness	standard
Tire Size - 215/75R17.5 16 Ply Radial	standard
Wheel Color - Black	standard
Spare Mount - No Spare Mount	standard